

CONCRETE CARE TIPS



JACK B. PARSON COMPANIES



IDAHO SAND & GRAVEL CO.



IDAHO CONCRETE COMPANY



WESTERN ROCK PRODUCTS

1-800-CONCRETE | www.stakerparson.com

THE PREFERRED SOURCE



FLUID

p 801 295 9820
f 801 951 5815
www.fluid-studio.net
1065 South 500 West
Bountiful, Utah 84010

PROOF NO: 1

DATE: 11.24.07

DES: RA SPCK: RA

JOB NO: 07PAR005701

CLIENT: Staker Parson

SKU: NA

UPC: NA

FILE NAME: 07PAR005701

CONCRETE CARE NOV07.INDD

SOFTWARE: InDesign CS2

DIMENSIONS:

FLAT: W: 8" H: 9"

FINISHED: W 3" D: NA" H 9"

COLORS



Registration



color
non printing



color
non printing



CMYK



PMS
S 45-7



PMS
7777



PMS
7777

ADDITIONAL INSTRUCTIONS:

Printers are responsible for meeting print production requirements. Any changes must be approved by the client and Fluid Studio.

PRINTED PIECE MUST MEET DESIGNATED SPECIFICATIONS ON THIS FORM.

© 2007 Fluid Studio. This work is the property of Fluid Studio, and cannot be used, reproduced or distributed in any way without their express permission.



STEP 1 CLEAN

Keep concrete surfaces clean and remove stains as soon as possible.

- Oil stains can be removed by applying mineral spirits or paint thinner liberally to the stain and covering it with an absorptive material like cat litter, corn starch, etc.
- Do not use harsh acids.
- Keep concrete clean of snow and ice at all times.

PROTECTING YOUR CONCRETE INVESTMENT

Concrete is a beautiful and very durable product when properly produced, placed, and protected. We recommend the following tips and suggestions to minimize surface scaling, discoloration, or deterioration:





STEP 2 SEAL

After thoroughly cleaning concrete, apply a high quality water-repellent coating or sealer.

Sealers protect surfaces from stains and help minimize the amount of water entering surface pores. They should be applied after initial finishing and curing and reapplied annually thereafter. Jack B. Parson sells high quality concrete sealers that can be easily applied by rolling, brushing, or spraying. Contact your sales representative or call 1-800-CONCRETE for more information.

STEP 3 AVOID

Avoid using or allowing the following products to remain on concrete as they cause deterioration and staining:

- Deicers which contain sodium chloride (common salt), ammonium nitrate, or ammonium sulfate. These chemicals will rapidly disintegrate concrete surfaces. Clean sand or kitty litter are the best alternative to add traction to icy surfaces. These products effectively aid snow and ice removal but will not damage concrete surfaces.
- Hard water from sprinkler overspray. Proper sprinkler adjustment not only conserves water but also minimizes the chance of hard water stains.
- Iron in some fertilizer pellets and tree leaves can stain concrete surfaces and should be removed immediately.



COLORED CONCRETE

We are pleased to help beautify projects with colored concrete utilizing pigments from Lanxess. Automated color metering systems are utilized to help ensure quality and consistency. Let us help you add a vibrant, distinctive, custom touch to your next job. Proper installation, curing, sealing, and maintenance are especially important with colored and stamped concrete surfaces. With state-of-the-art equipment to ensure proper dosing, customizing your home has never been easier. Call 1-800-CONCRETE today!



LANDSCAPE CENTER

Did you know the average American family uses 50% of its total water on landscaping? Staker & Parson Landscape Centers offer a wide variety of water-wise landscape products to help you with your landscaping needs, including:

- Rock & Bark Mulches
- Top Soil & Soil Pep
- Playground Sand & Mulches
- Landscape Rock & Stone
- Rock Fountains

All of these products will allow you to create and maintain a varied, colorful, even lush garden while reducing water usage by up to 70%.



www.stakerparsonlandscape.com